



RT12-04

12" (30cm) 4Ω Subwoofer - 250W RMS - 1000W Peak
Designed by MTX in Phoenix, AZ - USA

Subwoofer 30cm (12") 4Ω - 250W RMS - 1000W Peak
Conçu par MTX à Phoenix, AZ - USA

12" (30cm) 4Ω Subwoofer - 250W RMS - 1000W Peak
Entwickelt von MTX in Phoenix, AZ - USA

Subwoofer da 30cm (12") 4Ω - 250W RMS - 1000W Peak
Progettato da MTX a Phoenix, AZ - USA



facebook.com/MTXEurope
facebook.com/MTXFrance



x.com/MTXEurope
x.com/MTXFrance



mtxaudio.eu
mtxaudio.fr
mtxaudio.de



instagram.com/mtxaudio.eu
instagram.com/mtxaudio.fr

RT12-04

12" (30cm) 4Ω Subwoofer - 250W RMS - 1000W Peak
Designed by MTX in Phoenix, AZ - USA

RT12-04 Parameters


Parameters, Paramètres, Parameter, Parâmetros, Parametri, Parameters, Παράμετροι, Parametri, Parametry

Fs : 28 Hz
Re : 3.2 Ω
Z : 4 Ω
Qms : 6.87
Qes : 0.58
Qts : 0.54
Vas : 68 liters
Mms : 164 grams
Cms : 186 mm/N
Bl : 12.8 N/A
Sd : 510 cm²
Vd : 0.816 liters
Xmax : 14.5 mm
Prms : 250 Watts
SPL 2.83V/1m : 92.0 dB



RT12-04 Dimensions

Dimensiones, Dimensions, Abmessungen, Dimensões, Dimensiuni, Afmetingen, Размеры, Mitat, Wymiary




Recommended Amp Power : 125-250Watts RMS

La Potencia nominal recomendada, Puissance ampli recommandée, Empfohlene Verstärkerleistung, Potência de amplificação recomendada, Potenza consigliata dell'amplificatore, Geadviseerd versterker vermogen, Рекомендуемая мощность усилителя, Suositeltava vahvistinteho, Rekomendowana moc wzmacniacza

Sealed Enclosure : 36.0 liters

Caja Sellada, Caisson clos, Geschlossenes Gehäuse, Caixa selada, Box chiuso, Gesloten behuizing, Закрыты корпус, Suljettu kotelo, Obudowa zamknięta



Sealed Enclosure

Qt_c : 1

F₋₃ : 45Hz

Net internal volume : 36.0 liters

Subwoofer volume : 7.0 liters

Load volume : 43.0 liters


Suggested external dimensions = 35x35x53cm

Wood thickness : 25mm MDF

A : 35 x 35cm - Cut out : 278mm


B : 35 x 48cm

C : 30 x 48cm



Vented Enclosure : 56.0 liters


Caja Reflex, Caisson Basse Reflex, Ventiliertes Gehäuse, Caixa Ventilada, Casse Bass Reflex, Gepoorte behuizing, Корпус с фазоинвертором, Refleksikotelo, Obudowa otwarta



Vented Enclosure

F_b : 33Hz
 F_{-3} : 38Hz
 Load volume : 56.0 liters
 Subwoofer volume : 7.0 liters
 Port volume : 2.25 liters
 Internal volume : 65.25 liters

Suggested external dimensions : 35 x 40 x 68cm
 Wood thickness : 25mm
 Port : 2 solutions
 • Aeroport : \varnothing 10cm, depth 23cm
 • Simple pipe : \varnothing 10cm, depth 30cm
 A : 35 x 68cm - Cut out : 278mm
 B : 35 x 68cm
 C : 30 x 35cm



MTX is proud of being an American audio company since 1971.



MTX is a proud member of Mitek Corp's range of high quality consumer audio products.



Designed and Engineered by Mitek in Phoenix - AZ, USA. Assembled in PRC.
 © 2025 Mitek. All rights reserved.
 MTX is a registered trademark of Mitek. Due to continual product development, all specifications are subject to change without notice.

Mitek - MTX - 4545 East Baseline Rd. Phoenix, AZ 85042, USA

Mitek - MTX - 23 rue des Apennins 75017 Paris, France
 Tel: +33 1 42 28 72 52