



# RT15-04

**15" (38cm) 4Ω Subwoofer - 300W RMS - 1200W Peak**  
Designed by MTX in Phoenix, AZ - USA

**Subwoofer 38cm (15") 4Ω - 300W RMS - 1200W Peak**  
Conçu par MTX à Phoenix, AZ - USA

**15" (38cm) 4Ω Subwoofer - 300W RMS - 1200W Peak**  
Entwickelt von MTX in Phoenix, AZ - USA

**Subwoofer da 38cm (15") 4Ω - 300W RMS - 1200W Peak**  
Progettato da MTX a Phoenix, AZ - USA



[facebook.com/MTXEurope](https://facebook.com/MTXEurope)  
[facebook.com/MTXFrance](https://facebook.com/MTXFrance)



[twitter.com/MTXEurope](https://twitter.com/MTXEurope)  
[twitter.com/MTXFrance](https://twitter.com/MTXFrance)



[mtxaudio.eu](https://mtxaudio.eu)  
[mtxaudio.fr](https://mtxaudio.fr)  
[mtxaudio.de](https://mtxaudio.de)



[instagram.com/mtxaudio.eu](https://instagram.com/mtxaudio.eu)  
[instagram.com/mtxaudio.fr](https://instagram.com/mtxaudio.fr)

# RT15-04

**15" (38cm) 4Ω Subwoofer - 300W RMS - 1200W Peak**  
Designed by MTX in Phoenix, AZ - USA

## RT15-04 Parameters


Parameters, Paramètres, Parameter, Parâmetros, Parametri, Parameters, Παράμετροι, Parametri, Parametry

Fs : 20 Hz  
Re : 3,60 Ω  
Z : 4 Ω  
Qms : 6,07  
Qes : 0,52  
Qts : 0,48  
Vas : 223 liters  
Mms : 263 grams  
Cms : 231 mm/N  
Bl : 15,3 N/A  
Sd : 830 cm<sup>2</sup>  
Vd : 1,162 liters  
Xmax : 14,5 mm  
Sd : 829,58 cm<sup>2</sup>  
Prms : 300 Watts  
SPL 2,83V/1m : 94,7 dB



## RT15-04 Dimensions

Dimensiones, Dimensions, Abmessungen, Dimensões, Dimensiuni, Afmetingen, Размеры, Mitat, Wymiary




# Recommended Amp Power : 150-300Watts RMS

La Potencia nominal recomendada, Puissance ampli recommandée, Empfohlene Verstärkerleistung, Potência de amplificação recomendada, Potenza consigliata dell'amplificatore, Geadviseerd versterker vermogen, Рекомендуемая мощность усилителя, Suositeltava vahvistinteho, Rekomendowana moc wzmacniacza

# Sealed Enclosure : 53.0 liters

Caja Sellada, Caisson clos, Geschlossenes Gehäuse, Caixa selada, Box chiuso, Gesloten behuizing, Закрыты корпус, Suljettu kotelo, Obudowa zamknięta



## Sealed Enclosure

Qtc : 1,1

F-3 : 38Hz

Net internal volume : 53.0 liters

Subwoofer volume : 14.0 liters

Load volume : 67 liters


Suggested external dimensions = 43 x 43 x 51cm

Wood thickness : 25mm MDF

A : 43 x 43cm - Cut out : 278mm

B : 43 x 46cm


C : 38 x 46cm





# Vented Enclosure : 80.0 liters

Caja Reflex, Caisson Basse Reflex, Ventiliertes Gehäuse, Caixa Ventilada, Casse Bass Reflex, Gepoorte behuizing, Корпус с фазоинвертором, Refleksikotelo, Obudowa otwarta



## Vented Enclosure

F<sub>b</sub> : 26Hz  
F<sub>-3</sub> : 34Hz  
Load volume : 80.0 liters  
Subwoofer volume : 14.0 liters  
Port volume : 2.65 liters  
Internal volume : 96.65 liters

Suggested external dimensions : 43 x 78 x 40cm

Wood thickness : 25mm


Port : 2 solutions

- Aeroport : Ø10cm, depth 28cm
- Simple pipe : Ø10cm, depth 36cm

A : 43 x 78cm - Cut out : 352mm

B : 35 x 78cm

C : 35 x 38cm



MTX is proud to be an American Audio Company since 1971.



MTX is a proud member of Mitek Corp high quality consumer audio product lines.



Designed and Engineered by Mitek in Phoenix - AZ, USA. Assembled in PRC.  
© 2023 Mitek. All rights reserved.  
MTX is a registered trademarks of Mitek. Due to continual product development, all specifications are subject to change without notice.

Mitek - MTX - 4545 East Baseline Rd. Phoenix, AZ 85042, USA

Mitek - MTX - 23 rue des Apennins 75017 Paris, France - Tel: +33 1 42 28 72 52