



# RT10-04

**10" (25cm) 4Ω Subwoofer - 250W RMS - 1000W Peak**  
Designed by MTX in Phoenix, AZ - USA

**Subwoofer 25cm (10") 4Ω - 250W RMS - 1000W Peak**  
Conçu par MTX à Phoenix, AZ - USA

**10" (25cm) 4Ω Subwoofer - 250W RMS - 1000W Peak**  
Entwickelt von MTX in Phoenix, AZ - USA

**Subwoofer da 25cm (10") 4Ω - 250W RMS - 1000W Peak**  
Progettato da MTX a Phoenix, AZ - USA



[facebook.com/MTXEurope](https://facebook.com/MTXEurope)  
[facebook.com/MTXFrance](https://facebook.com/MTXFrance)



[twitter.com/MTXEurope](https://twitter.com/MTXEurope)  
[twitter.com/MTXFrance](https://twitter.com/MTXFrance)



[mtxaudio.eu](https://mtxaudio.eu)  
[mtxaudio.fr](https://mtxaudio.fr)  
[mtxaudio.de](https://mtxaudio.de)



[instagram.com/mtxaudio.eu](https://instagram.com/mtxaudio.eu)  
[instagram.com/mtxaudio.fr](https://instagram.com/mtxaudio.fr)

# RT10-04

**10" (25cm) 4Ω Subwoofer - 250W RMS - 1000W Peak**  
Designed by MTX in Phoenix, AZ - USA

## RT10-04 Parameters



Parameters, Paramètres, Parameter, Parâmetros, Parametri, Parameters, Παράμετροι, Parametri, Parametry

Fs : 32 Hz  
Re : 3,1 Ω  
Z : 4 Ω  
Qms : 6,58  
Qes : 0,53  
Qts : 0,49  
Vas : 32 liters  
Mms : 129 grams  
Cms : 176 mm/N  
Bl : 12,6 N/A  
Sd : 363 cm<sup>2</sup>  
Vd : 0,381 liters  
Xmax : 10,5 mm  
Prms : 250 Watts  
SPL 2,83V/1m : 89,5 dB



## RT10-04 Dimensions

Dimensiones, Dimensions, Abmessungen, Dimensões, Dimensiuni, Afmetingen, Размеры, Mítat, Wymiary




# Recommended Amp Power : 125-250Watts RMS

La Potencia nominal recomendada, Puissance ampli recommandée, Empfohlene Verstärkerleistung, Potência de amplificação recomendada, Potenza consigliata dell'amplificatore, Geadviseerd versterker vermogen, Рекомендуемая мощность усилителя, Suositeltava vahvistinteho, Rekomendowana moc wzmacniacza

# Sealed Enclosure : 14.0 liters

Caja Sellada, Caisson clos, Geschlossenes Gehäuse, Caixa selada, Box chiuso, Gesloten behuizing, Закрыты корпус, Suljettu kotelo, Obudowa zamknięta



## Sealed Enclosure

$Q_{tc}$  : 0,888

$F_{3}$  : 52Hz

Net internal volume : 14.0 liters

Subwoofer volume : 4.0 liters

Load volume : 18.0 liters


Suggested external dimensions : 30x30x30cm

Wood thickness : 25mm MDF

A : 30 x 30cm Cut out : 230mm


B : 30 x 25cm

C : 25 x 25cm



# Vented Enclosure : 32.0 liters

Caja Reflex, Caisson Basse Reflex, Ventiliertes Gehäuse, Caixa Ventilada, Casse Bass Reflex, Gepoorte behuizing, Корпус с фазоинвертором, Refleksikotelo, Obudowa otwarta



## Vented Enclosure

$F_b$  : 34Hz

$F_{-3}$  : 35Hz

Load volume : 32.0 liters

Subwoofer volume : 4.0 liters

Port volume : 1.25 liters

Internal volume : 37.25 liters

Suggested external dimensions : 30x50x35cm

Wood thickness : 25mm


Port : 2 solutions

- Aeroport :  $\varnothing 7.5$ cm, depth 23cm
- Simple pipe :  $\varnothing 7.5$ cm, depth 30cm

A : 30 x 50cm Cut out : 230mm

B : 30 x 50cm

C : 25 x 30cm



MTX is proud to be an American Audio Company since 1971.



MTX is a proud member of Mitek Corp high quality consumer audio product lines.



Designed and Engineered by Mitek in Phoenix - AZ, USA. Assembled in PRC.  
© 2023 Mitek. All rights reserved.  
MTX is a registered trademarks of Mitek. Due to continual product development, all specifications are subject to change without notice.

Mitek - MTX - 4545 East Baseline Rd.  
Phoenix, AZ 85042, USA

Mitek - MTX - 23 rue des Apennins  
75017 Paris, France - Tel: +33 1 42 28 72 52